



cancer.org | 1.800.227.2345

If You Have Acute Myeloid Leukemia (AML)

- [What is leukemia?](#)
- [What is acute myeloid leukemia \(AML\)?](#)
- [How does the doctor know I have AML?](#)
- [Tests that may be done](#)
- [Different types of AML](#)
- [What kind of treatment will I need?](#)
- [What will happen after treatment?](#)

What is leukemia?

[Cancer](#)¹ starts when cells in a part of the body begin to grow out of control. There are many kinds of cancer.

Leukemia starts in the bone marrow, the soft inner part of certain bones where new blood cells are made. It starts when certain blood cells grow out of control and crowd out normal blood cells. This makes it hard for the body to work the way it should.

There are many [types of leukemia](#)². Some are rare. Most are named based on if they are fast growing (acute), or slower growing (chronic). They are also named by which type of bone marrow cell (myeloid or lymphocytic) the leukemia starts in.

What is acute myeloid leukemia (AML)?

Acute myeloid leukemia (AML) is a type of cancer that starts from cells that are supposed to grow into different types of blood cells. Most often, AML starts in early forms of white blood cells.

AML is fast growing. The leukemia cells enter the blood quickly and sometimes can spread to the liver, spleen, central nervous system (brain and spinal cord), and testicles.

There are many different [types of AML](#)³. In some, the AML cells have gene changes that can affect how well treatment works. Your doctor can tell you more about the kind of AML you have.

Questions to ask the doctor

- Why do you think I have leukemia?
- Is there a chance I don't have leukemia?
- Would you please write down the kind of leukemia you think I might have?
- What will happen next?

How does the doctor know I have AML?

Many people with AML have [symptoms](#)⁴ such as feeling tired or weak, losing weight, having a fever, sweating a lot at night, and loss of appetite. They might also have pale skin, bone or joint pain, and might bruise or bleed easily.

The doctor will ask you questions about your health (including how long you have had symptoms) and do a physical exam.

Tests that may be done

If signs are pointing to AML, here are some of the [tests](#)⁵ you may need:

Blood cell counts: This blood test is often the first one done. Most people with AML have too many white blood cells and not enough of other types of blood cells.

Bone marrow aspiration and biopsy: For these tests, a doctor uses thin, hollow needles to take small amounts of bone marrow, most of the time from the hip bone. The area around the bone is numbed, and you might be given a drug to make you sleep during the test. The samples are sent to a lab to see if there are leukemia cells in the bone marrow. If you are having treatment, these tests can also be used to see how well treatment is working.

Spinal tap (lumbar puncture): This test is not often needed for people with AML. For this test, the doctor first numbs an area in the lower part of the back over the spine. A

small, hollow needle is placed between the bones of the spine to draw out some of the fluid that surrounds the brain and spinal cord, which is then checked for leukemia cells.

Lab tests for leukemia: Samples from blood, bone marrow, or spinal fluid are looked at under a microscope to help the doctor find out what kind of leukemia you have. If leukemia cells are found, other lab tests might be done on the cells to look for certain gene changes in the cells. The results of these tests might help the doctor know how best to treat your leukemia.

Other blood tests: If you have leukemia, other blood tests will be done to see how well your liver, kidneys, and other organs are working.

Imaging tests: These tests take pictures of the inside of your body. There are many types of imaging tests, including X-rays, CT scans, MRI scans, and PET scans.

- What type of AML do I have?
- Are there any factors that might affect my chances of getting better?
- Are there other doctors I need to see?
- How many cases of AML have you treated?
- What will happen next?

What kind of treatment will I need?

AML often grows quickly, so it's important to start treatment as soon as possible after it is found.

The most common treatment for AML is [chemotherapy](#)⁸ (chemo). Other treatments are used less often.

The [treatment plan](#)⁹ that is best for you will depend on:

- The type of AML
- The chance that a type of treatment will cure the leukemia or help in some way
- Your age and overall health
- If the AML cells have changes in certain genes
- Whether a matched stem cell donor can be found
- Your feelings about the treatment and the side effects that possibly come with it

Chemotherapy

Chemo is the use of drugs to fight cancer. These drugs go into the blood and spread through the body. Chemo is given in cycles or rounds. Each round of treatment is followed by a break.

For people who are healthy enough, treatment of AML is usually divided into 2 parts:

- The first part is called **induction**. Its goal is to clear the blood of all leukemia cells. You usually get 2-3 chemo drugs over a week while in the hospital.
- The second part is called **consolidation**. Its goal is to kill any leftover leukemia cells and keep the AML from coming back. This treatment is most often given over several months. Sometimes it may include a stem cell transplant (see below).

People who are older or who have other health problems might get less intense chemo.

Side effects of chemo

Chemo can have many side effects, like:

- Hair loss
- Mouth sores
- Not feeling like eating
- Diarrhea
- Feeling sick to your stomach and throwing up
- Increased risk of infections
- Getting black and blue marks and bleeding easily
- Feeling tired

But these problems tend to go away after treatment ends. There are ways to treat most chemo side effects. Be sure to talk to your cancer care team so they can help.

[Targeted drugs](#)¹⁰ work on certain parts of leukemia cells, which is different from how standard chemo drugs work. Targeted drugs can help some people with AML (such as if the AML cells have certain gene changes), but so far these drugs are used mainly if chemo isn't working.

Stem cell transplant

Radiation treatments

[Radiation](#)¹⁴ uses high-energy rays (like x-rays) to kill cancer cells. This treatment may be used to kill any leukemia cells that may be hiding in the brain or in the testicles. It also can be used before a stem cell transplant. Ask your doctor if radiation will be part of the treatment and what to expect.

Side effects of radiation treatments

Side effects depend on where the radiation is aimed. The most common side effects of radiation are:

- Skin changes where the radiation is given
- Feeling very tired

These side effects tend to get better after treatment ends. Radiation can also cause long-term effects if it is aimed at some parts of the body. Talk to your cancer care team about what to expect.

Clinical trials

Clinical trials are research studies that test new drugs or other treatments in people.

Some of these are known to help, but many have not been tested. Some have been shown not to help. A few have even been found to be harmful. Talk to your doctor about anything you're thinking about using, whether it's a vitamin, a diet, or anything else.

Questions to ask the doctor

- What treatment do you think is best for me?
- What's the goal of this treatment? Do you think it could cure the leukemia?
- What side effects could I have from treatment?
- What can I do about side effects that I might have?
- Is there a clinical trial that might be right for me?
- What about special vitamins or diets that friends tell me about? How will I know if they are safe?
- How soon do I need to start treatment?
- What should I do to be ready for treatment?
- Is there anything I can do to help the treatment work better?
- Should we think about a stem cell transplant? If so, when?
- How long do you think I will live?
- What will we do if the treatment doesn't work or if the leukemia comes back?
- What's the next step?

What will happen after treatment?

Treatment for AML can last for many months. Even after treatment ends, you will need many [follow-up exams](#)¹⁷ – likely every few months for several years. Be sure to go to all of these follow-up visits. Your doctors will ask about symptoms, do physical exams, and order blood tests and maybe other tests to see if your leukemia has come back.

Having AML and dealing with treatment can be hard, but it can also be a time to look at your life in new ways. You may be thinking about how to improve your health. Call us at 1-800-227-2345 or talk to your doctor to find out what you can do to feel better.

You can't change the fact that you have AML. What you can change is how you live the rest of your life – [making healthy choices](#)¹⁸ and feeling as good as you can.

[For connecting and sharing during a cancer journey](#)

Anyone with cancer, their caregivers, families, and friends, can benefit from help and support. The American Cancer Society offers the Cancer Survivors Network (CSN), a

safe place to connect with others who share similar interests and experiences. We also partner with CaringBridge, a free online tool that helps people dealing with illnesses like cancer stay in touch with their friends, family members, and support network by creating their own personal page where they share their journey and health updates.

Hyperlinks

1. www.cancer.org/cancer/understanding-cancer/what-is-cancer.html
2. www.cancer.org/cancer/types/acute-myeloid-leukemia/about/what-is-aml.html
3. www.cancer.org/cancer/types/acute-myeloid-leukemia/detection-diagnosis-staging/how-classified.html
4. www.cancer.org/cancer/types/acute-myeloid-leukemia/detection-diagnosis-staging/signs-symptoms.html
5. www.cancer.org/cancer/types/acute-myeloid-leukemia/detection-diagnosis-staging/how-diagnosed.html
6. www.cancer.org/cancer/diagnosis-staging/tests/imaging-tests/imaging-radiology-tests-for-cancer.html
7. www.cancer.org/cancer/types/acute-myeloid-leukemia/detection-diagnosis-staging/how-classified.html
8. www.cancer.org/cancer/types/acute-myeloid-leukemia/treating/chemotherapy.html
9. www.cancer.org/cancer/types/acute-myeloid-leukemia/treating/typical-treatment-of-aml.html
10. www.cancer.org/cancer/types/acute-myeloid-leukemia/treating/targeted-therapy.html
11. www.cancer.org/cancer/types/acute-myeloid-leukemia/treating/bone-marrow-stem-cell-transplant.html
12. www.cancer.org/cancer/types/acute-myeloid-leukemia/treating/surgery.html
13. www.cancer.org/cancer/managing-cancer/making-treatment-decisions/tubes-lines-ports-catheters.html
14. www.cancer.org/cancer/types/acute-myeloid-leukemia/treating/radiation-therapy.html
15. www.cancer.org/cancer/managing-cancer/making-treatment-decisions/clinical-trials.html
16. www.cancer.org/cancer/managing-cancer/treatment-types/complementary-and-integrative-medicine.html
17. www.cancer.org/cancer/types/acute-myeloid-leukemia/after-treatment/follow-up.html

18. www.cancer.org/cancer/risk-prevention/diet-physical-activity.html
19. www.cancer.org

